



Fresh food, guaranteed.







With over 60 years of experience in the commercial kitchen and food service industry Hoshizaki has become a name synonymous with quality and innovation. Our wide range of products are designed to suit any fast-paced commercial kitchen needs with superior performance and reliability. All refrigeration products come with a 2 year warranty, which can be extended to 3 years when products are registered online at www.hoshizaki.com.au/warrantyregistration. Products have cleanable air filters and are made from top quality materials that will keep your kitchen humming and your food fresher, for longer.





Easy access to air filters for reduced maintenance.



Stainless steel for easy cleaning and longevity.



About Hoshizaki

Founded in 1947 in Nagoya, Japan, Hoshizaki has grown into a global company delivering reliable, innovative commercial products to the world. Our fresh approach to solving commercial needs has resulted in us designing and developing some of the world's most revered ice machines and after all these years continue to strive to develop sustainable products which stand the test of time and stresses of any kitchen.





Our Range

With over 40 products available In Australia we're able to suit any commercial kitchen need. From upright fridges, freezers and counter top solutions to our space saving Pillar Less range, reliability comes as standard.





Professional

SERIES

Powered by energy efficient DC fans our reliable, cost effective and easy to maintain Professional Series refrigerators and freezers are available in upright, counter, drawer and Pillar Less variations. They're built tough for Australian kitchen conditions (HACCP rated to 43°C) and

cleaning is easy with stainless steel interior/exteriors, ergonomic easy clean surfaces and heavy duty castors (legs optional). The cleanable air filters mean reduced maintenance and automatic defrost comes as standard on all products.



Removable door gaskets for easy and quick cleaning without the need for tools.



Versatile storage solutions with adjustable shelves and innovative Pillar Less range.



Smart hygienic design with rounded edges and stainless steel materials for easy cleaning.



Accurately control temperatures via the **digital controller**. Cover protects against accidental adjustment or damage.



Easy servicing
with a compact
slide out
refrigeration unit
gives easy service
access for quick
maintenance.



Packed with all the features you'd expect from the Professional series our upright refrigerators and freezers are available as single or double door and feature a full stainless steel construction, Gastronorm specifications, lockable heavy duty castors and off-cycle defrost.



	REFRIGERATOR	FREEZER	REFRIGERATOR	FREEZER			
Part Number	97000101	97000103	97000102	97000104			
Capacity	631L A	PPROX.	1379L APPROX.	1372L APPROX.			
Dimensions (w x d x h)	700X85	50X2015	1400X8	50X2015			
Packed Dimensions	750X94	10X2100	1450X94	40X2100			
Weight	116КG	/131KG	164кG/189кG	174КG/199КG			
AC Supply Voltage	220-240V / 50HZ / 10AMP						
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER			
Temperature Control	ADJUSTABLE 0°C-16°C ADJUSTABLE -25°C-7°C		ADJUSTABLE 0°C-16°C	ADJUSTABLE -25°C-7°C			
Operating Ambient Temp		5°C-	43°C				
Refrigerant	R134A	R404A	R134A	R404A			
DC Evaporator Fans	YES	YES	YES	YES			
Evaporator Drain Pan		STAINLESS	STEEL 170W				
Exterior	430	430 GRADE STAINLESS STEEL, GALVANISED REAR & BOTTOM					
Interior	STAINLESS STEEL						
Door/Shelves**	1 DOOR /	4 SHELVES	2DOOR /	8 SHELVES			

Suitable for kitchens that wish to maximise food preparation area, our stainless steel counter refrigerators and freezers are a perfect option.



- Unit comes with a stainless steel worktop to double up as a food preparation area. Perfect for space restricted commercial environments.
- Easy access to compressor assembly for easy maintenance
- Energy efficient DC fan (80% more energy efficient than AC fan) considerably reduces amount of energy consumed by the machine reducing its impact on both the environment and your finances.

	RTE-120SDA-GN REFRIGERATOR	FTE-120SDA-GN FREEZER	RTE-170SDA-GN REFRIGERATOR	FTE-170SDA-GN FREEZER					
Part Number	97000007	97000005	97000008	9700006					
Capacity	265L A	PPROX.	412L A	PPROX.					
Dimensions (w x d x h)	1200 x 7	00 x 815	1660 x 7	00 x 815					
Packed Dimensions	1265 x 7	80 x 850	1725 x 78	80 x 850					
Weight Net/Gross	83KG/93KG	87KG/97KG	103кG/115кG	109кG/121кG					
AC Supply Voltage		220-240V / 50HZ / 10AMP							
Defrost System		GLASS TU	BE HEATER						
Adjustable Temperature	-6°C TO 12°C	-25°C TO -7°C	-6°C TO 12°C	-25°C TO -7°C					
Operating Ambient Temp		5°C T(O 43°C						
Refrigerant	R134A	R404A	R134A	R404A					
DC Evaporator Fans	YES	YES	YES	YES					
Evaporator Drain Pan		STAINLESS	STEEL 170W						
Exterior	430 GRADE STAINLESS STEEL, GALVANISED REAR AND BASE PANEL								
Interior		STAINLESS STEEL							
Door/Shelves**	2 DOOR /	2 SHELVES	3 DOOR /	3 SHELVES					



Giving you quicker access to regularly used items with dedicated drawers our drawer range is suitable for kitchens that replenishes its produce often while their low height maximises space.



- · Stainless steel
- Forced air circulation refrigeration system
- Automatic defrost
- Auto closing drawers
- 2 and 4 drawer options

	RTL-98DDAC REFRIGERATOR	RTL-140DDAC REFRIGERATOR	FTL-140DDAC FREEZER			
Part Number	97000034	97000035	97000019			
Capacity	85L APPROX.	176L AI	PPROX.			
Dimensions (w x d x h)	980 X 750 X 585	1400 x 7	50 x 570			
Packed Dimensions	1045 X 830 X 600	1465 x 8	30 x 560			
Weight	65KG/74KG	93кG/102кG	99кG/108кG			
AC Supply Voltage		220-240V / 50HZ				
Defrost System		HEATER				
Temperature Control	-6°C TO 12°C -23°C TC					
Operating Ambient Temp		5°C TO 38°C				
Refrigerant	R134.	R134A				
Legs/Castors		CASTORS 115MM HIGH				
Evaporator Drain Pan		FIN & TUBE TYPE				
Exterior	STAINLESS STEEL D	STAINLESS STEEL DOORS & FRONT, GALVANISED REAR & BOTTOM				
Interior	PRE-COA	PRE-COATED STEEL, STAINLESS STEEL DOORS				
Drawers	2 4					



Refrigeration Reimagined

Compact fan motor unit to maximise storage space.

DC fan motor generates less heat than a conventional AC motor and over 80% more efficient.





Removable door gaskets for **easy cleaning** without the need for tools.



Easy access to removable air filter for quick servicing.



Smart hygienic design with rounded edges and stainless steel materials for easy cleaning.



Pillar Less design for larger storage and convenient access.



Gastronome option available

The Pillar Less range builds on the technology and innovation of the Professional Series to create space-saving solutions which maximise capacity and usefulness.



The diverse options range from single, double or split doors make this range perfect for any commercial kitchen need but especially for restaurants who produce or need to store the largest of dishes. With no centre pillar you can use trays and containers of varying sizes.



	HRE-127B-ML REFRIGERATOR	HFE-127B-ML FREEZER	HRE-147B-ML REFRIGERATOR	HFE-147B-ML FREEZER	HRE-187B-ML REFRIGERATOR	HFE-187B-ML FREEZER
Part Number	97000105	97000112	97000106	97000113	97000107	97000114
Capacity	1109L	1110L	1311L	1304L	1720L	1713L
Dimensions (w x d x h)	1200X80	0X2050	1400X80	00X2050	1800X80	00X2050
Packed Dimensions	1260X90	1260X900X2075		00X2075	1860X90	00X2075
Legs			150-180 AD	JUSTABLE		
AC Supply Voltage		220-240V / 50HZ				
Weight	132кG/158кG	140KG/168KG	152KG/177KG	162KG/187KG	203кG/250кG	213кG/260кG
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER
Temperature Control	-6°C TO 12°C	-25°C TO 7°C	-6°C TO 12°C	-25°C TO 7°C	-6°C TO 12°C	-25°C TO 7°C
Operating Ambient Temp			5°C TC	43°C		
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A
DC Evaporator Fans	YES					
Evaporator Drain Pan		FIN & TUBE TYPE				
Exterior	SUS 304 & SUS 430 GALVANISED STEEL REAR & BOTTOM					
Interior	SUS 304 & SUS 430 GALVANISED STEEL REAR & BOTTOM					
Door/Shelves**	4 DOOR	/ 8 PCS	4 DOOR	/ 8 PCS	6 DOOR	/ 12 PCS



This Pillar Less range of refrigeration and freezers are perfect for kitchens looking to maximise their food preparation area and storage. Whilst being Pillar Less, these models have also been designed to fit Gastronorm sized trays.



The worktop can be used as a food preparation area with all models having a resilient stainless steel finish.

	RTE-120SDA-GN-ML REFRIGERATOR	FREEZER	RTE-170SDA-GN-ML REFRIGERATOR	FTE-170SDA-GN-ML FREEZER			
Part Number	97000091	97000093	97000092	97000094			
Capacity	26	5L	4	12L			
Dimensions (w x d x h)	1200 x 7	00 x 815	1660 x 1	700 x 815			
Packed Dimensions	1265 x 78	30 x 850	1725 x 7	780 x 850			
Legs		115 mr	n Castors				
AC Supply Voltage		220-240V / 50HZ					
Weight	83кG/93кG	87кG/97кG	103кG/115кG	109KG/121KG			
Defrost System		MICROPROCES	SOR CONTROLLED				
Temperature Control	-6°C TO 12°C -25°C TO 7°C		-6°C TO 12°C	-25°C TO 7°C			
Operating Ambient		5°C	TO 43°C				
Refrigerant	R134A	R404A	R134A	R404A			
DC Evaporator Fans		FIN &	TUBE TYPE				
Evaporator Drain Pan		FIN & TUBE TYPE					
Exterior		STAINLESS STEEL, GALVANISED STEEL REAR/BOTTOM					
Interior		STAINLESS STEEL, ABS PLASTIC					
Door/Shelves**	2 DC	OOR	3 D	OOR			



The Pillar Less range of refrigerator and freezers configured as counters are suitable for kitchens that wish to maximise both food preparation area and storage.



The counter models are designed with the slimmest compressor compartment in its class, saving up to 20% of space allowing the user more storage space and less floor space.

	RTC-120 SNA-ML REFRIGERATOR	FTC-120 SNA-ML FREEZER	RTC-180SNA-ML REFRIGERATOR	FTC-180 SNA-ML FREEZER			
Part Number	97000108	97000110	97000109	97000111			
Capacity	228	BL	39)8L			
Dimensions (w x d x h)	1200 x 60	00 x 800	1800 x 6	00 x 800			
Packed Dimensions	1265 x 68	30 x 790	1865 x 6	80 x 790			
Legs		150-180 AD	JUSTABLE				
AC Supply Voltage		220-240V / 50HZ					
Weight	78кG/83кG	84KG/89KG	108KG/114KG	111КG/117КG			
Defrost System		MICROPROCESSO	R CONTROLLED				
Temperature Control	-6°C TO 12°C	-25°C TO 7°C	-6°C TO 12°C	-25°C TO 7°C			
Operating Ambient		5°C TO	43°C				
Refrigerant	R134A	R404A	R134A	R404A			
DC Evaporator Fans		FIN & TUE	SE TYPE				
Evaporator Drain Pan		FIN & TUE	E TYPE				
Exterior	STAI	STAINLESS STEEL, GALVANISED STEEL REAR/BOTTOM					
Interior		STAINLESS STEEL, ABS PLASTIC					
Door/Shelves**	2 DOOR	/ 2 PCS	3 DOOR	/ 3 PCS			



SERIES

The Hoshizaki Commercial series of refrigeration and freezers are chefs choice for back of house food storage and preparation. All products are designed for kitchen professionals who demand a reliable cost effective and easy to maintain product.

The Hoshizaki Commercial series of refrigerators and freezers are unsurpassed when it comes to reliability and value for money, improving on the Professional range by adding useful features, such as full height door handles required in fast paced kitchen environments.

The high operating ambient temperature (43°C for upright cabinets & 38°C for counter cabinets) are perfect for Australian conditions and

ensures that the Commercial series meet your demands in all conditions.

The Commercial series offer many features including:

- Split ½ doors for the upright Refrigeration and Freezers.
- Food service size internal shelving systems that allow full interior usage.
- Full height door handles for easier access.
- Self closing doors.
- Fully programmable digital controller.
- HACCP approved.
- Available in a variety of sizes and styles to suit all needs, these cabinets are designed for everyday.





Removable door gaskets for easy and quick cleaning without the need for tools.



Versatile storage solutions with adjustable shelves and innovative Pillar Less range.



Smart hygienic design with rounded edges and stainless steel materials for easy cleaning.



Accurately control temperatures via the **digital controller.**Cover protects against accidental


Cover protects against accidental adjustment or damage.



Easy servicing
with a compact
slide out
refrigeration unit
gives easy service
access for quick
maintenance.



Full height door handles for quick and easy access.



Self closing doors.



Fully digital temperature controls.



Packed with all the features you'd expect from the Professional series our upright refrigerators and freezers are available as single or double door and feature a full stainless steel construction, Gastronorm specifications, lockable heavy duty castors and off-cycle defrost.



	HRE-77MA REFRIGERATOR	HFE-77MA FREEZER	HRE-127MA REFRIGERATOR	HFE-127MA FREEZER	HRE-187MA REFRIGERATOR	HFE-187MA FREEZER	
Part Number	97000030	97000130	97000031	97000131	97000033	97000133	
Capacity	546L	546L	1080L	1070L	1600L	1600L	
Dimensions (w x d x h)	700 x 80	0 x 2015	1200 x 80	00 x 2015	1800 x 80	1800 x 800 x 2015	
Packed Dimensions	760 x 90	0 x 2075	1260 x 90	00 x 2075	1860 x 90	00 x 2075	
Weight Net / Gross	98KG/120KG	102KG/124KG	141KG/172KG	146KG/177KG	184KG/226KG	196кG/238кG	
AC Supply Voltage	220-240V / 50HZ 10AMP						
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER	
Adjustable Temperature	-2°C TO 12°C	-23°C TO 7°C	-2°C TO 12°C	-23°C TO 7°C	-2°C TO 12°C	-23°C TO 7°C	
Operating Ambient Temp			5°C TC	43°C			
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A	
DC Evaporator Fans	YES						
Evaporator Drain Pan		FIN & TUBE TYPE					
Exterior	430 GRADE STAINLESS STEEL, GALVANISED REAR/BOTTOM PANEL						
Interior	STAINLESS STEEL, ABS PLASTIC INTERIOR DOORS						
Door/Shelves**	1 DOOR / 4	4 SHELVES	2 DOOR /	8 SHELVES	3 DOOR / 1	12 SHELVES	



Suitable for kitchens that wish to maximise workspace, our stainless steel counter refrigerators and freezers are a perfect option, and offer additional space for food preparation.

As with all of our commercial series models, energy efficient DC fans (80% more energy efficient than AC) considerably reduce the amount of energy consumed reducing its impact on both the environment and your finances.

Compressor assembly can be easily accessed or removed from the machine allowing quick maintenance reducing downtime and costs.



	RTC-120MNA REFRIGERATOR	FTC-120MNA FREEZER	RTC-150MNA REFRIGERATOR	FTC-150MNA FREEZER	RTC-180MNA REFRIGERATOR	FTC-180MNA FREEZER
Part Number	97000050	97000150	970000051	970000151	970000052	970000152
Capacity	22	8L	31	3L	38	8L
Dimensions (w x d x h)	1200 x 6	00 x 815	1500 x 6	00 x 815	1800 x 6	00 x 815
Packed Dimensions	1265 x 68	80 x 800	1565 x 6	80 x 800	1865 x 680 x 800	
AC Supply Voltage		220-240V / 50HZ 10 AMP				
Weight	67KG/72KG	72KG/77KG	80KG/85KG	86кG/91кG	93кG/99кG	99кG/105кG
Defrost System	OFF CYCLE	HEATER	OFF CYCLE	HEATER	OFF CYCLE	HEATER
Adjustable Temperature	0°C TO 12°C	-23°C TO 7°C	0°C TO 12°C	-23°C TO 7°C	0°C TO 12°C	-23°C TO 7°C
Operating Ambient Temp			5°C TC	38°C		
Refrigerant	R134A	R404A	R134A	R404A	R134A	R404A
DC Evaporator Fans		YES				
Evaporator Drain Pan		FIN & TUBE TYPE				
Exterior	STAINLESS STEEL, GALVANISED REAR/BOTTOM PANEL					
Interior	STAINLESS STEEL, ABS PLASTIC INTERIOR DOORS					
Door/Shelves**	2 DOOR /	4 SHELVES	2 DOOR /	4 SHELVES	3 DOOR /	6 SHELVES







With an anti-condensation, anti-drip design, temperature controls

and powerful cooling performance humidity levels are maintained at all times. These will no doubt help you make an impression with customers; keeping your sushi fresher for longer and tasting as good as it looks.

HNC-120AE-R HNC-150AE-R HNC-180AE-R

Part Number	91000057 91000050 91000037					
Capacity	42L 57L 72L					
Ext. Dimensions w x d x h (mm)	1200X345X280 1500X345X280 1800X345X					
Int. Dimensions w x d x h (mm)	845X288X157	5X288X157 1145X288X157 1145X288				
Weight Net/Gross	30KG/42KG 36KG/51KG 42KG/0					
AC Supply Voltage	220-240V / 50HZ / 10AMP					
Operating Ambient	5°C to 43°C					
Operating Temperature		Approx 5°C				
Refrigerant	R134A					
Pulldown Time	STAINLESS STEEL 170W					
Evaporator	430 GRADE STAINLESS STEEL, GALVANISED REAR & BOTTOM					



For our full range and more information visit **hoshizaki.com.au**

08 8268 1388 info@hoshizaki.com.au









Descriptions and specifications are subject to change at any time, without notice. Illustrations for demonstration purposes only. Elements of the pictures shown within this brochure may not be standard and could incur additional charges. All storage and production capacities are approximates only.

Copyright @ 2018 Hoshizaki Lancer Pty Ltd. All rights reserved. E&OE